

Chirped-pulse WDM

Bahram Jalali

UCLA

jalali@ucla.edu

Report Documentation Page			Form Approved OMB No. 0704-0188	
<p>Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p>				
1. REPORT DATE 18 APR 2000	2. REPORT TYPE N/A	3. DATES COVERED -		
4. TITLE AND SUBTITLE Chirped Pulse WDM			5a. CONTRACT NUMBER	
			5b. GRANT NUMBER	
			5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)			5d. PROJECT NUMBER	
			5e. TASK NUMBER	
			5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California LA			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)	
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited				
13. SUPPLEMENTARY NOTES DARPA/MTO, WDM for Military Platforms Workshop held in McLean, VA on April 18-19, 2000, The original document contains color images.				
14. ABSTRACT				
15. SUBJECT TERMS				
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 16
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	19a. NAME OF RESPONSIBLE PERSON	

Applications

Telecom

Mux/Demux

Analog-to-Digital Conversion

Sampler


Time Stretch

Spectroscopy


Time domain spectral measurements

Other?


Spectral Slicing of Chirped Supercontinuum Pulses



Supercontinuum Generation





Chirped Pulse WDM



Multiplexing / Demultiplexing:


- Morioka, T.; Kawanishi, S.; Takara, H.; Saruwatari, M. *Electron. Lett.*, 1994, vol.30, (no.23), pp.1959-60
- Cundiff, S.T., Knox, W.H., and Nuss, M.C. *Electron. Lett.*, 1997, **33**, (1), pp.10 – 11

Time Stretching




F. Coppinger, A. Bhsuah, B. Jalali, *Electronics Letters*, 34 (4), 1998.

Time Stretch ADC (TSADC)




30 GSample/s, 5 GHz input, 4 bit




A.S. Bhushan et al., CLEO 2000.


Wavelength Division Sampling



Problem with Dispersive Chirp Generation





Chirp-Free WDM Source Using True Time Delay




*Jalali and Yegnanarayanan, US Patent No. 5,793,907

Experimental Results

- 16 Channel Filter
- Integrated Delay Lines
- 10 ps Incremental delay




100 Gbit/s



$$\Delta\tau \Delta f = 0.49 \\ (\text{Autocorrelation})$$

A.S. Bhushan, F. Coppinger, S. Yegnanarayanan and B. Jalali, *Optics Letters*, vol. 24, (11), 1999.

Wavelength Division Sampling




12 Gsample/s Wavelength Division ADC

Modulation Frequency: 3600MHz
Aliased peak 400MHz


SFDR: 40dB
SNR: 32dB (5 bits)

FFT of one channel
of digitized data





F. Coppinger, A.S. Bhushan, B. Jalali, IEEE Microwave Photonics Conference, MWP 1999

Time Domain Spectroscopy



P. V. Kelkar, F. Coppinger, A. S. Bhushan, , B. Jalali, Electronic Letters, Vol 35 (19), p. 1661-1663, (1999).

Experimental Verification



Resolution is comparable to the highest resolution, **0.08 nm**, available for HP optical spectrum analyser (OSA).

P. V. Kelkar, F. Coppinger, A. S. Bhushan, , B. Jalali, Electronic Letters, Vol 35 (19), p. 1661-1663, (1999).

Future Work

- Alternative low cost supercontinuum sources
 - Low cost fiber lasers
 - Alternative sources
 - Low cost, high power optical amplifiers
 - Other wavelength bands
- Beyond telecom, ADC, spectroscopy